



PRODUCT CATALOG

HEATERS HUMIDIFIERS FANS



Who is VisionAir™

VisionAir™ is a joint venture partnership between two TRUSTED suppliers from counter seasonal categories.

We leverage our experience in sourcing, sales, marketing, logistics, and customer service to offer our customers a full line of heaters, fans, and humidifiers. With major disruptions in the marketplace, we can offer a **RELIABLE** and **CONSISTENT** source for you to build and grow your home comfort categories.

With VisionAir™, you get a combined **50+ YEARS** of market experience, decades of **TRUSTED** partnership with retailers, **FLEXIBLE** shipping and fulfillment options, and **EXCLUSIVE** partnerships with key manufacturing facilities.

We are ready **NOW** to fill your orders and make the world a more comfortable place!



CONTENTS

HEATERS	4
HUMIDIFIERS	10
FANS	13



1 YEAR FULL REPLACEMENT WARRANTY

We stand behind the quality of our products and their performance with a full replacement warranty. The warranty covers all defects in materials or workmanship under normal use and maintenance for 1 year from the date of purchase.

HEATERS

When the temperature drops and you need supplemental heating to stay cozy, choose a VisionAir™ electric heater. We offer a variety of heaters including ceramic, wire element fan-forced, infrared quartz radiant, and oil-filled convection. VisionAir™ electric heaters include built-in safety features to make sure heating is done safely, such as overheat protection, tip-over switches and automatic shut-off as well as bonus features like timers, oscillation for wide-spread coverage and multi-function remote controls.

1VAHW152P

15" WIRE-ELEMENT MILKHOUSE HEATER WITH 2-PRONG POWER CORD & FAN-ONLY MODE

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
1300/1500	2	Mechanical	Yes	No	No	No	10×15.5×7	10.5×14.5×7.5	3,900	4.5/5.5	2-prong

1VAHW153P

15" WIRE-ELEMENT MILKHOUSE HEATER WITH 3-PRONG POWER CORD & FAN-ONLY MODE

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
1300/1500	2	Mechanical	Yes	No	No	No	10×15.5×7	10.5×14.5×7.5	3,900	4.5/5.5	3-prong

1VAHW09

9" WIRE-ELEMENT FAN-FORCED HEATER WITH FAN-ONLY MODE

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	No	No	8×9.5×4.75	8×10×5	9,500	2.25/2.5	2-prong

1VAHW11

11" RADIANT WIRE ELEMENT HEATER

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
1250/1500	2	Mechanical	Yes	No	No	No	17×11.5×7	19.5×11.25×6	3,167	4.75/5.75	2-prong

HEATERS

1VAHC7

7" PERSONAL CERAMIC HEATER

Includes
overheat
protection



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
400	1	Mechanical	No	No	No	No	4.5×6.5×3.75	5.5×6.75×4	21,600	1/1.25	2-prong

1VAHC9

9" DESKTOP CERAMIC HEATER WITH FAN-ONLY MODE

Includes tip-over switch
and overheat protection



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	No	No	6.25×9.5× 5	6.5×10×5.5	11,280	2/2.5	2-prong

1VAHC10

10" DESKTOP OSCILLATING CERAMIC HEATER WITH FAN-ONLY MODE

Includes tip-over switch
and overheat protection



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	Yes	No	6.75×10.5×5.5	7×11×6	8,280	2.75/3	2-prong

1VAHCS10

10" 360° CERAMIC HEATER WITH FAN-ONLY MODE

Includes tip-over switch
and overheat protection



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	No	No	7×10.25×7	8.5×11.5×7.75	4,816	4/5	2-prong

1VAHCU10

10" CERAMIC UTILITY HEATER WITH FAN-ONLY MODE

Includes
overheat
protection



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	No	No	8×10.25×8.25	8.75×9.5×8.75	5,430	3.75/4.5	2-prong

HEATERS

1VAHCU14

14" CERAMIC UTILITY HEATER

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	No	No	10×14×5.5	11.75×16×7	3,000	4.5/5	2-prong

1VAHCT17

17" OSCILLATING CERAMIC TOWER HEATER WITH FAN-ONLY MODE

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	Yes	No	6.75×17.75×5.5	7×18.5×6	4,800	3.5/3.75	2-prong

1VAHCT17D

17" OSCILLATING CERAMIC TOWER HEATER WITH FAN-ONLY MODE & DIGITAL CONTROLS

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	3	Digital	Yes	No	Yes	No	6.75×17.75×5.5	7×18.5×6	4,800	3.5/3.75	2-prong

1VAHCT23

23" OSCILLATING CERAMIC TOWER HEATER WITH DIGITAL CONTROLS, TIMER & REMOTE

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
900/1500	2	Digital	Yes	8 hr	Yes	Yes	7.25×23×7.25	8×24×7.75	2,320	5.75/6.5	2-prong

1VAHL22M

22" OIL-FILLED CONVECTION HEATER WITH MECHANICAL CONTROLS

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
600/900/1500	3	Mechanical	Yes	No	No	No	9.5×21.5×12	16.75×23×5.5	2,300	15/16.5	2-prong

HEATERS

1VAHL24D

24" OIL-FILLED CONVECTION HEATER

WITH DIGITAL CONTROLS, TIMER & REMOTE

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
600/900/1500	3	Digital	Yes	Yes	No	Yes	9.5×23×12	14.25×25×5	2,130	13.5/14.75	2-prong

1VAHBB27

27" CONVECTION BASEBOARD HEATER

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	2	Mechanical	Yes	No	No	No	27.5×8.75×5	28.75×10×6.7	2,070	4.25/6	2-prong

1VAHQ23

23" RADIANT INFRARED HEATER

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
500/1000/1500	3	Mechanical	Yes	No	No	No	12.5×23×9	13.75×23.5×9.25	1,400	5.25/7	2-prong

1VAHCF18

18" RADIANT INFRARED HEATER

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
700/1000	2	Mechanical	Yes	No	No	Yes	14.25×18×8.75	15.25×19.5×9.5	1,500	4/5.5	2-prong

1VAHQT13

13" 6-TUBE INFRARED TOWER HEATER

WITH DIGITAL CONTROLS & REMOTE

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
1000/1500	2	Digital	Yes	Yes	No	Yes	7×13.5×10	9×15×12	2,730	4.75/6.25	2-prong

HEATERS

1VAHQ18WG

18" 6-TUBE INFRARED HEATER

WITH WOODEN CABINET, DIGITAL CONTROLS & REMOTE

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
1000/1500	2	Digital	Yes	Yes	No	Yes	16.5×17.75×12.5	18.75×18×15.75	700	16/17.25	2-prong

1VAHQT24WG

24" 6-TUBE INFRARED HEATER

WITH WOODEN CABINET, DIGITAL CONTROLS & REMOTE

*Includes tip-over switch
and overheat protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
1000/1500	2	Digital	Yes	Yes	No	Yes	10.25×24×8.5	12.5×26.5×10.75	1,141	14.75/16	2-prong

1VAHQW24

24" WALL-MOUNT INFRARED RADIANT HEATER

*Includes overheat
protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
750/1500	2	Mechanical	No	No	No	No	23.75×15.75×3.25	26.5×14.75×5.5	1,828	6.75/7.5	3-prong

1VAHCF25 | 1VAHCF25T

CARBON FIBER INFRARED UTILITY HEATER

ANODIZED EXTRUDED ALUMINUM ALLOY HOUSING WITH REMOTE

*Includes tip-over
switch and overheat
protection*



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
350/850/1500	3	Digital	No	Yes	No	Yes	25.25×3.25×4.75	23.25×4.75×6.5	4,620	5/6	3-prong
350/850/1500	3	Digital	No	Yes	No	Yes	27×75×27	36×10.25×5.5	1,900	6/7	3-prong

HEATERS

1VAHG5000

5,000W CEILING-MOUNT
WIRE ELEMENT UTILITY HEATER

240V HARDWIRED INSTALLATION

Includes
overheat
protection



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
5000/4000/3000	3	Mechanical	Yes	No	No	No	15.75×13×11.75	17.25×13.5×14.5	1,230	17.5/21	Hardwired

1VAHG7500

7,500W CEILING-MOUNT
WIRE ELEMENT UTILITY HEATER

240V HARDWIRED INSTALLATION

Includes
overheat
protection



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
7500/6250	2	Digital	Yes	No	No	Yes	15.75×13×11.75	17.25×13.5×14.5	1,230	17.5/21	Hardwired

1VAHG10000

10,000W CEILING-MOUNT
WIRE ELEMENT UTILITY HEATER

240V HARDWIRED INSTALLATION

Includes
overheat
protection



HEATING POWER (Watts)	HEAT SETTINGS	CONTROL TYPE	THERMOSTAT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
10,000	1	Digital	Yes	No	No	Yes	20.75×18×18.5	21.25×20.75×21.25	440	20.75/23.5	Hardwired



HUMIDIFIERS

Whether you live in a naturally dry climate, or you're feeling the effects of running your heater in winter, humidifiers are a must-have to improve your home's air quality. Humidifiers come in three different varieties: ultrasonic, warm mist, and evaporative — all of which will help increase the humidity in your space. VisionAir™ humidifiers offer useful features like top-fill tanks, night lights, and aroma diffusing functions. Just add water and enjoy a more comfortable environment.

1VAU1

ULTRASONIC COOL MIST TRAVEL HUMIDIFIER WITH MECHANICAL CONTROLS



TANK SIZE	CONTROL TYPE	MAX. RUN TIME (HRS.)	TIMER	NIGHT LIGHT	AROMA-THERAPY	CARBON FILTER	TOP-FILL TANK	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)
12-24oz.	Mechanical	12	No	No	No	No	No	5.75 × 4 × 3.75	7 × 6 × 5.5	16,512	0.5/1.5

1VAU05

0.5 GAL. ULTRASONIC COOL MIST HUMIDIFIER WITH TOUCH-BUTTON CONTROLS AND 6-COLOR NIGHTLIGHT



TANK SIZE	CONTROL TYPE	MAX. RUN TIME (HRS.)	TIMER	NIGHT LIGHT	AROMA-THERAPY	CARBON FILTER	TOP-FILL TANK	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)
0.5 gal.	Touch Button	50	4 hr.	Yes	Yes	No	Yes	4.75 × 11.5 × 4.75	5 × 12.75 × 5	10,584	2/2.25

1VAU105

1.05 GAL. ULTRASONIC COOL MIST HUMIDIFIER WITH TOUCH-BUTTON CONTROLS AND 9-COLOR NIGHTLIGHT



TANK SIZE	CONTROL TYPE	MAX. RUN TIME (HRS.)	TIMER	NIGHT LIGHT	AROMA-THERAPY	CARBON FILTER	TOP-FILL TANK	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)
1.05 gal.	Touch Button	40	8 hr.	Yes	Yes	Yes	Yes	7.5 × 10.5 × 7.5	8 × 12.5 × 8	4,000	2.75/3.25

1VAU13

1.3 GAL. ULTRASONIC COOL MIST HUMIDIFIER WITH MECHANICAL CONTROLS



TANK SIZE	CONTROL TYPE	MAX. RUN TIME (HRS.)	TIMER	NIGHT LIGHT	AROMA-THERAPY	CARBON FILTER	TOP-FILL TANK	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)
1.3 gal.	Mechanical	36	No	Yes	No	Yes	No	12.25 × 11.25 × 8	13.5 × 13 × 9.5	2,280	3.75/5.5

HUMIDIFIERS

1VAU14

1.4 GAL. ULTRASONIC COOL MIST HUMIDIFIER

WITH MECHANICAL CONTROLS



TANK SIZE	CONTROL TYPE	MAX. RUN TIME (HRS.)	TIMER	NIGHT LIGHT	AROMA-THERAPY	CARBON FILTER	TOP-FILL TANK	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)
1.4 gal.	Mechanical	38	No	No	Yes	Yes	Yes	13.75 × 11.25 × 7	15.5 × 12 × 8.5	2,348	3.75/4.5

1VAU132

1.32 GAL. ULTRASONIC COOL MIST HUMIDIFIER

WITH DIGITAL CONTROLS



TANK SIZE	CONTROL TYPE	MAX. RUN TIME (HRS.)	TIMER	NIGHT LIGHT	AROMA-THERAPY	CARBON FILTER	TOP-FILL TANK	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)
1.32 gal.	Digital	50	12 hr.	Yes	Yes	Yes	Yes	6.75 × 15.25 × 6.75	8.5 × 17 × 9	3,060	4.5/5.5

1VAWM1

1 GAL. WARM MIST HUMIDIFIER

WITH MECHANICAL CONTROLS



TANK SIZE	CONTROL TYPE	MAX. RUN TIME (HRS.)	TIMER	NIGHT LIGHT	AROMA-THERAPY	CARBON FILTER	TOP-FILL TANK	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)
1 gal.	Mechanical	26	No	Yes	Medicine Cup	No	No	11 × 12 × 6	13 × 14 × 8	2,380	5/5.5

1VAE1

1 GAL. EVAPORATIVE COOL MIST HUMIDIFIER

WITH MECHANICAL CONTROLS



TANK SIZE	CONTROL TYPE	MAX. RUN TIME (HRS.)	TIMER	NIGHT LIGHT	AROMA-THERAPY	CARBON FILTER	TOP-FILL TANK	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)
1 gal.	Mechanical	14	No	No	Yes	No	Yes	12.5 × 11.25 × 8	14.5 × 13.25 × 10.25	2,150	4.5/6.25

1VAE25

2.5 GAL. EVAPORATIVE COOL MIST HUMIDIFIER

WITH TOUCH BUTTON CONTROLS



TANK SIZE	CONTROL TYPE	MAX. RUN TIME (HRS.)	TIMER	NIGHT LIGHT	AROMA-THERAPY	CARBON FILTER	TOP-FILL TANK	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)
2.5 gal.	Touch Button	90	No	No	Yes	No	Yes	10.75 × 16 × 14.25	12 × 17.5 × 15.75	1,103	10/13.75

HUMIDIFIERS

1VAE28



2.8 GAL. EVAPORATIVE COOL MIST HUMIDIFIER
WITH DIGITAL CONTROLS

TANK SIZE	CONTROL TYPE	MAX. RUN TIME (HRS.)	TIMER	NIGHT LIGHT	AROMA-THERAPY	CARBON FILTER	TOP-FILL TANK	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40"HQ (units)	WEIGHT Net/Gross (lbs.)
2.8 gal.	Digital	24	No	No	No	No	Yes	12.25 × 27 × 10.25	14.25 × 28.75 × 12.25	821	15/16



FANS

1VAFP16

16" PEDESTAL FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	Yes	No	Yes	No	28.5 × 47.25 × 28.5	17.5 × 6 × 17.5	2,390	5/6	2-prong

1VAFD12

12" TABLE FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	No	No	Yes	No	13.5 × 18 × 9.25	10.75 × 11.5 × 6	3,410	3.5/4.5	2-prong

1VAFHV8

8" HIGH VELOCITY TURBO FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	No	No	No	No	10.5 × 11.25 × 5.75	10.75 × 11.5 × 6	5,180	2/2.5	2-prong

1VAFHV9

9" HIGH VELOCITY FLOOR FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	No	No	No	No	11 × 11 × 5	11.5 × 11.75 × 5.25	5,668	2.75/3	2-prong

1VAFHV14

14" HIGH VELOCITY FLOOR FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	No	No	No	No	17.75 × 8.75 × 17.5	18.25 × 18.25 × 7.25	1,737	6.5/8	3-prong

FANS

1VAFHV18

18" HIGH VELOCITY FLOOR FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	No	No	No	No	21.75 × 22.25 × 11.5	22 × 21.25 × 7	1,249	10.25/13	3-prong

1VAFHV20

20" HIGH VELOCITY FLOOR FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	No	No	No	No	24.25 × 23.25 × 10	23.75 × 22.5 × 7	1,136	12/14.5	3-prong

1VAFT29

29" OSCILLATING TOWER FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	No	No	No	Yes	No	9 × 9 × 29.25	7 × 29.75 × 5.5	3,600	4.5/5.5	2-prong

1VAFT40

40" OSCILLATING TOWER FAN

WITH DIGITAL CONTROLS & REMOTE



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Digital	No	No	Yes	Yes	Yes	12 × 39.25 × 12	8 × 40.5 × 8	1,160	7/8.25	2-prong

1VAFD6

6" CONVERTIBLE DESK FAN

2-IN-ONE CLIP BASE OR TABLETOP OPTION



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
2	Mechanical	Yes	No	No	Yes	No	7.5 × 10.25 × 6.5	6.75 × 7.5 × 6.75	10,160	1.5/1.75	2-prong

FANS

1VAFBX20



20" BOX FAN

FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	No	No	No	No	No	20.75 × 21 × 4.25	21 × 22 × 4.75	2,040	7/8.5	2-prong

1VAFD9



9" TABLE BOX FAN

FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	No	No	No	No	No	11 × 11 × 4.5	11.5 × 11.5 × 4.75	6,300	3/3.5	2-prong

1VAFW9



9" TWIN WINDOW FAN

FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Digital	No	No	No	No	No	24 × 13 × 5.5	25.25 × 14 × 5.25	2,000	6.75/7.75	2-prong

1VAB800



800 CFM AIR BLOWER

STACKABLE WITH 3 POSITION OPTIONS & EXTENSION OUTLET

FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	No	No	No	No	No	11 × 12.25 × 13	15 × 15.25 × 14.25	2,300	10/11	3-prong

1VAFCR20



20" AIR CIRCULATOR

WITH WALL OR CEILING MOUNT OPTIONS

FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	No	No	No	No	24.25 × 24.25 × 5.5	24.75 × 24 × 6	1,090	7.75/9.25	2-prong

FANS

1VAFDRUM24



24" HIGH VELOCITY TILTING DRUM FAN

FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
2	Mechanical	Yes	No	No	No	No	29.25 × 29.5 × 11	30 × 29.5 × 8.5	594	23.25/27.5	3-prong

1VAFDRUMBLT36



36" HIGH VELOCITY BELT DRIVE DRUM FAN

FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
2	Mechanical	No	No	No	No	No	38.75 × 39.75 × 20.5	39 × 40.25 × 15	168	66.25/72.25	3-prong

1VAFDRUMBLT42



42" HIGH VELOCITY BELT DRIVE DRUM FAN

FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
2	Mechanical	No	No	No	No	No	44.5 × 45.5 × 20.5	46.75 × 47 × 15	120	78.25/92.75	3-prong

1VAFP20



20" HIGH VELOCITY OSCILLATING PEDESTAL FAN

FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	Yes	No	Yes	No	21.75 × 54 × 19	22.75 × 30.5 × 7	930	21/26.5	3-prong

1VAFP30



30" HIGH VELOCITY OSCILLATING PEDESTAL FAN

FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	Yes	No	Yes	No	31.5 × 78 × 25.75	33.25 × 44 × 8	364	38.75/50.75	3-prong

FANS

1VAFD4

4" USB TABLE FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
1	Mechanical	Yes	No	No	No	No	5.75 × 6 × 3.5	6.25 × 6 × 3.75	25,900	0.1/0.2	USB

1VAFHAND

4" USB HANDHELD FAN WITH TRIPOD BASE OPTION



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	Yes	No	No	No	4 × 8.5 × 1.5	4.75 × 9 × 2	48,600	0.3/0.6	USB

1VAFD5R

5" RECHARGEABLE USB TABLE FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	No	No	No	No	5 × 5.75 × 1.75	6.25 × 8 × 2	35,000	0.6/0.8	USB

1VAFD4R

4" RECHARGEABLE USB CLIP FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
Variable	Mechanical	Yes	No	No	No	No	5.5 × 7.5 × 3.75	6.25 × 7.75 × 4.25	19,680	0.75/1	USB

1VAFD6R

6" RECHARGEABLE USB OSCILLATING TABLE FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Mechanical	Yes	No	No	Yes	No	7.5 × 8.75 × 7	7.5 × 7.25 × 7.5	7,704	1.75/2	USB

1VAFD8R

8" RECHARGEABLE USB TABLE FAN



FAN SPEEDS	CONTROL TYPE	ADJUSTABLE TILT	ADJUSTABLE HEIGHT	TIMER	OSCILLATION	REMOTE	ITEM DIMENSIONS W×H×D (in.)	PACKAGING DIMENSIONS W×H×D (in.)	LOADING QTY 40'HQ (units)	WEIGHT Net/Gross (lbs.)	PLUG TYPE
3	Variable	Yes	No	No	No	No	11 × 11 × 6.25	11.5 × 11.5 × 6.75	3,904	2.5/4	USB

VisionAir™ is a joint venture of



4560 W. 160th Street
Cleveland, OH 44135

☎ 833.950.1185

🌐 visionairproducts.com

✉ sales@visionairproducts.com

Find us online at www.visionairproducts.com