MAKE A **Solder** *Veld* Statement in Your Showroom

Purchase \$2000 CAD worth of Solderweld Products and Receive a FREE Solderweld Floor Display.

Please use a separate Purchase Order(s) for this offer marked: "SWDISPLAY"

Need Some Ideas on Stocking Your Display? Here's a Suggested Display Stocking Order:

ITEM DESCRIPTION	PART NO.	QTY.
Hot Block Heat Absorption Putty	SW-HB1	12
Magnetic Flame Resistant Blanket	SW-MFRB	6
Black Aluminum Coil Repair Tech Bag - CANADIAN PATCH	SW-ACRTCAB	4
Camo Aluminum Coil Repair Tech Bag - CANADIAN PATCH	SW-ACRTCAC	4
Al-Cop Braze 8" 5-rod Pack	SW-ALCu5.5	3
Al-Cop Braze 18" 5-rod Pack	SW-ALCu5K	3
Alloy Sol 8" 5-rod Pack	SW-AS09305.5	3
Alloy Sol 18" 5-rod Pack, HVAC Kit	SW-AS09305K	3
Alloy Sol White Aluminum Brazing and Soldering Flux	SW-ASF1	6
5% Sil-Phos HVAC All-In-One Brazing Kit in Orange Canister	SW-HVAK05	2
15% Sil-Phos HVAC All-In-One Brazing Kit in Orange Canister	SW-HVAK15	2
Multi Sol 18" 5-Rod Pack Kit Top	SW-MS09305K	3
Multi Sol Flux .7 oz	SW-MSF2	3
Stainless Steel Wire Brush	SW-SWB1	2

Please contact infraAIR Toronto Warehouse to place your local Canadian order:

p: 1.800.707.6297 e: orders@infraAIR.ca





FLOWS LIKE SOLDER. STRONG AS A WELD.

R

 (\mathfrak{x})

O D BRIJED

TAME RESISTANT BLANKET

HOT BLOCK HEAT ABSORPTION PUTTY | SW-HB1

As a 100% re-usable and non-toxic heat-absorbing putty, Hot Block will block direct and conductive heat transfer on all types of surfaces and metals, including joints, valves, fittings, composite panels, rubber, and plastics. Stops the transfer of heat up to 3000° F.

#BLOCKTHEBURN IN A BIG WAY.







FLAME RESISTANT MAGNETIC BLANKET | SW-MFRB

The SolderWeld Magnetic Flame Resistant Blanket contains firm grip magnets, grommets, kevlar reinforced stitching, and an opening slit so it can be easily snapped into place and removed during repairs.

AL-COP ENTERING		Part
	751	SW-H
		SW-H

0

Air tight and water tight canister helps keep all brazing material safe and in one place. All include the "Game Changing" Aluminum to Copper rods. Options available that also include Sil-Phos rods as well.

HVAC ALL-IN-ONE KITS			
Part No.	Description		
SW-HVAK	HVAC All In One Brazing Kit (no Sil-Phos)		
SW-HVAK00	0% Sil-Phos HVACA II In One Brazing Kit		
SW-HVAK05	5% Sil-Phos HVACA II In One Brazing Kit		
SW-HVAK15	15% Sil-Phos HVACA II In One Brazing Kit		
SW-OBC	Orange Canister (EMPTY)		



ALUMINUM COIL TECH REPAIR KITS

Part No.	Description
SW-ACRTB	Alum Coil Repair Tech Bag - Black
SW-ACRTC	Alum Coil Repair Tech Bag - Camo
SW-ACRTB0	Alum Coil Repair Tech Bag - Black (EMPTY)
SW-ACRTC0	Alum Coil Repair Tech Bag - Camo (EMPTY)

The most popular solution for aluminum coil repair. Convenient straps attach directly to the belt or bags. The answer to roof top units and tight spots.



1000	SILVER SOLDERS		
2	Part No.	Description	
	SW-SS0003S	SIL SOL 0% Phos-Copper Round, 3 Rod Pack	
	SW-SS0028R	SIL SOL 0% Phos-Copper Round, 1 lb.	
	SW-SS05F1K	SIL SOL 5% Sil-Phos Flat, 1 lb.	
	SW-SS05F3S	SIL SOL 5% Sil-Phos Flat, 3 Rod Pack	
	SW-SS15F1	SIL SOL 15% Sil-Phos Flat, 1 lb.	
	SW-SS1503S	SIL SOL 15% Sil-Phos Round, 3 Rod Pack	
	SW-SS1524K	SIL SOL 15% Sil-Phos Round, 1 lb.	
	SW-SS5602K	SIL SOL 56% Flux Coated Round, 2 Rod Pack	
	SW-SS5610K	SIL SOL 56% Flux Coated Round, 10 Rod Pack	

ALUMI	NUM TO COPPER BRAZING	
Part No.	Description	Roman Co
SW-ALCU5.5	AL-COP Braze 8", 5 Rod Pack	
SW-ALCU5K	AL-COP Braze 18", 5 Rod Pack	
SW-ALCU8K	AL-COP Braze 18", 8 Rod Pack	5 II

The only Aluminum-to-Copper brazing rods on the market. Flux core and proven time and time again to be the solution to copper to aluminum transitions.

1			
~			
Str Extension SOL 55 Stilling and an and	(THEM -		
SOL 56 Harris Adda Trices	The second secon	(Arreal)	

Silver phosphorous rods for day-to-day copper brazing. No flux necessary. Available in flat and the highly preferred round rods with better flow for more effective joints.

The 56% flux coated "King of Brazing" rods allow for brazing of dissimilar metals such as copper to brass or stainless steel to copper.

	LOW TEMP DISSIMILAR METAL SOLDER		
	Part No.	Description	
	SW-MS09306K	Multi Sol 18", 6 Rod Pack	
	SW-MS09312K	Multi Sol 18", 12 Rod Pack	
	SW-MS09305.5	Multi SOL 8", 5 Rod Pack	
	SW-MS09305K	Multi SOL 18", 5 Rod Pack	
	SW-MSF2	Multi SOL FLUX .7oz	
MUT			

350°, 20,000 PSI RATING

UMINIUM

Part No.	Description
SW-AS09305.5	Alloy SOL 8", 5 Rod Pack
SW-AS09305K	Alloy SOL 18", 5 Rod Pack HVAC Kit
SW-AS09310K	Alloy SOL 18", 10 Rod Pack Kit Top
SW-AS09320K	Alloy SOL 18", 20 Rod Pack Kit
SW-ASF1	Alloy SOL Flux [™] White Aluminum Brazing and Soldering Flux
SW-ABFC05K	Alloy Braze Flux Cored Aluminum Repair 18", 5 Rod Pack
SW-ABFC15K	Alloy Braze Flux Cored Aluminum Repair 18", 15 Rod Pack

-

The proven aluminum repair product for the HVAC industry. The lowest temperature flowing solder for aluminum repair and easy to fix aluminum coils and u bends. Requires Alloy Sol Flux for cleaning and prep.

